Serial No. 10/668,340 Docket No. C14-161470M/TRK (NGB.298)

AMENDMENTS TO THE CLAIMS:

Non-elected claims 9-17 are canceled without prejudice or disclaimer.

1. (Currently amended) An electronic equipment comprising:

a display unit configured to display a first symbol indicating a control object and a second symbol indicating details of a control in a predetermined display position, respectively;

a selection unit configured to select at least one of the first and the second symbols displayed on the display unit in response to an instruction operation;

a movement unit configured to move the display position of the selected symbol in response to a movement operation; and

a control unit configured to execute the details of the control corresponding to the second symbol with respect to the control object corresponding to the first symbol in response to an execution operation.

wherein said electronic equipment comprises a vehicle mounted acoustic apparatus.

2. (Original) The electronic equipment as claimed in claim 1, wherein the control unit executes the details of the control when the control unit detects that the display position of the first symbol overlaps the display position of the second symbol at a time the movement operation has stopped.

Serial No. 10/668,340

Docket No. C14-161470M/TRK

(NGB.298)

3. (Original) The electronic equipment as claimed in claim 1 further comprising a

3

touch sensor configured to detect a touch position in response to a touch of a display

screen of the display unit.

4. (Original) The electronic equipment as claimed in claim 3, wherein the selection

unit selects at least one of the first and the second symbols in response to the instruction

operation in which the display screen is touched in the display position corresponding to

the first or the second symbols to be selected, and

wherein the movement unit moves the display position of the selected symbol in

response to the movement operation in which the touch being slid on the display screen.

(Original) The electronic equipment as claimed in claim 4, wherein the selection

unit selects at least one of the first and the second symbols when the display screen is

touched for a predetermined time period or longer in the display position of the symbol to

be selected.

5.

6. (Currently amended) An electronic equipment comprising:

a display unit configured to display a first symbol indicating a control object and a

second symbol indicating details of a control in a predetermined display position,

respectively;

a selection unit configured to select at least one of the first and the second symbols

displayed on the display unit in response to an instruction operation;

a movement unit configured to move the display position of the selected symbol in

response to a movement operation;

Serial No. 10/668,340

Docket No. C14-161470M/TRK

(NGB.298)

a control unit configured to execute the details of the control corresponding to the

4

second symbol with respect to the control object corresponding to the first symbol in

response to an execution operation, and

The electronic equipment as claimed in claim-1-further comprising

a light sensor configured to detect an irradiation position in response to a light

beam with which a display screen of the display unit is irradiated.

7. (Original) The electronic equipment as claimed in claim 6, wherein the selection

unit selects at least one of the first and the second symbols in response to the instruction

operation in which the display screen is irradiated with the light beam in the display

position corresponding to the first or the second symbols to be selected, and

wherein the movement unit moves the display position of the selected symbol in

response to the movement operation in which the light beam being moved on the display

screen.

8. (Original) The electronic equipment as claimed in claim 7, wherein the selection

unit selects at least one of the first and the second symbols when the display screen is

irradiated with the light beam for a predetermined time period or longer in the display

position of the symbol to be selected.

9-17. (Canceled).

Serial No. 10/668,340

Docket No. C14-161470M/TRK

(NGB.298)

18. (New) The electronic equipment as claimed in claim 1, wherein said vehicle

mounted acoustic apparatus comprises at least one of a compact disc player device, a

5

compact disk changer device, and a radio.

19. (New) The electronic equipment as claimed in claim 1, wherein said control object

comprises at least one a compact disc and a radio station.

20. (New) The electronic equipment as claimed in claim 1, wherein said details of said

control comprise at least one reproducing, repeat reproduction, random reproduction, scan

reproduction, and an adjustment mode of at least one of a compact disc and a radio

station.

21. (New) The electronic equipment as claimed in claim 1, wherein the selection unit

comprises:

means for distinguishing between an instantaneous touching of the display screen

and a selection of at least one of the first and the second symbols when the display screen

is touched.

22. (New) The electronic equipment as claimed in claim 6, wherein the light sensor is

integrally formed with the display screen.

23. (New) The electronic equipment as claimed in claim 6, wherein the light sensor

detects the light beam being irradiated onto the display screen, and

6

Serial No. 10/668,340

Docket No. C14-161470M/TRK

is remote from the display screen.

(NGB.298)

wherein the light beam is irradiated onto the display screen from a location which

24. (New) The electronic equipment as claimed in claim 6, wherein the light sensor

detects the light beam being irradiated onto the display screen from a laser device.

25. (New) The electronic equipment as claimed in claim 6, wherein the light sensor

comprises:

means for distinguishing between an instantaneous irradiation of the display

screen and a selection of at least one of the first and the second symbols.

26. (New) An electronic equipment comprising:

display means for displaying a first symbol indicating a control object and a

second symbol indicating details of a control in a predetermined display position,

respectively;

selection means for selecting at least one of the first and the second symbols

displayed on the display means in response to an instruction operation;

movement means for moving the display position of the selected symbol in

response to a movement operation; and

control means for executing details of the control corresponding to the second

symbol with respect to the control object corresponding to the first symbol in response to

an execution operation.

27. (New) The electronic equipment as claimed in claim 26, further comprising:
light sensor means for detecting an irradiation position of a light beam which is irradiated onto the display means.